INIER	TANKO CHARTERING QUESTIONNA	NIKE 00 - OIL/CHEIVI	CAL		Version 5
1.	GENERAL INFORMATION				
1.1	Date updated:				
1.2	Vessel's name (IMO number):		Oraholm (9336696)		
1.3	Vessel's previous name(s) and date(s) of change:	Not Applicable		
1.4	Date delivered / Builder (where built):		Apr 07, 2006 / Desan Sh	ipyard - Tuzla - Turkey	
1.5	Flag / Port of Registry:		Denmark / Svendborg		
1.6	Call sign / MMSI:		OYAA2 / 220442000		
1.7	Vessel's contact details (satcom/fax/e	mail etc.):	Tel: 422044210		
			Fax: Not Applicable		
			Email: oraholm.master@	mhsimonsen.com	
1.8	Type of vessel (as described in Form of the IOPPC):	A or Form B Q1.11	Other (Product carrier)		
1.9	Type of hull:		Double Hull		
Owner	rship and Operation				
1.10	Registered owner - Full style:	Rederiet M. H. Simo CHRISTIANSMIND Denmark Tel: +45 6220 2033 Email: mhs@mhsim Web: mhsimonsen.	EVEJ 76 5700 Svendborg a	Att: P/R Oraholm	
1.11	Technical operator - Full style:	Rederiet M.H.Simor Christiansmindevej Denmark Tel: +45 62202033 Email: mhs@mhsim Web: mhsimonsen. Company IMO#: 02	76 DK 5700 Svendborg nonsen.com		
1.12	Commercial operator - Full style:	Simonsen Chartering Christiansmindevej 76 DK-5700 Svendborg Denmark Tel: +45 62202033 Email: sc@simchart.com Web: simchart.com			
1.13	Disponent owner - Full style:	Rederiet M.H. Simo Christiansmindevej Tel: +45 62202033 Email: mhs@mhsim Web: www.mhsimo	76 5700 Svendborg Denma	ark	
Insura	nce				
1.14	P & I Club - Full Style:	SKULD			
1.15	P & I Club pollution liability coverage	expiration date:	1,000,000,000 US\$	N/A	
1.16	Hull & Machinery insured by - Full Style: (Specify broker or leading underwriter)	Nørrejylland			
1.17	Hull & Machinery insured value / expir	ation date:	18,150,000 US\$	N/A	
Classi	fication				
1.18	Classification society:		Bureau Veritas		

1.19	Class notation:			Oil tanker ESP Cher UMS , ICE CLASS I	mical tanker ESP Unrestricted navigation AUT-B
1.20	extensions, outsta	ect to any conditions nding class recommendati	,	No N/A	
1.21	If classification soodate of change:	ciety changed, name	of previous and	DNV GL, Jan 28, 20	18
1.22	Does the vessel ha	ave ice class? If yes,	state what level:	Yes, 1B	
1.23	Date / place of las	t dry-dock:		Apr 25, 2016 / Soeb	y, Denmark
1.24	Date next dry dock	k due / next annual s	urvey due:	N/A	N/A
1.25	Date of last specia	al survey / next speci	al survey due:	N/A	N/A
1.26	If ship has Condition the latest overall ra	on Assessment Prog ating:	ram (CAP), what is	No,	
Dimen	sions				
1.27	Length overall (LC	PA):			106.20 m
1.28	Length between po	erpendiculars (LBP):			100.70 m
1.29	Extreme breadth (Beam):			15.80 m
1.30	Moulded depth:				7.80 m
1.31	Keel to masthead collapsed condition	(KTM) / Keel to mast n, if applicable:	head (KTM) in	33.20 m	0 m
1.32	Distance bridge front to center of manifold:				30.00 m
1.33	Bow to center mar (SCM):	nifold (BCM) / Stern t	o center manifold	54.00 m	52.00 m
1.34	Parallel body dista	inces:	Lightship	Normal Ballast	Summer Dwt
	Forward to mid-po	int manifold:	16.00 m	30.00 m	37.00 m
	Aft to mid-point ma	anifold:	15.00 m	34.00 m	38.00 m
	Parallel body length	th:	32 m	64 m	75 m
Tonna	ges				
1.35	Net Tonnage:				1,495.00
1.36	Gross Tonnage / F	Reduced Gross Tonn	age (if applicable):	3,709.00	3,069
1.37	Suez Canal Tonna	age - Gross (SCGT)	Net (SCNT):		
1.38	Panama Canal Ne	et Tonnage (PCNT):			
Loadlir	ne Information				
1.39	Loadline	Freeboard	Draft	Deadweight	Displacement
	Summer:	1.53 m	6.28 m	4,987.80 MT	7,409.30 MT
	Winter:	1.67 m	6.15 m	4,802.67 MT	7,224.17 MT
	Tropical:	1.40 m	6.41 m	5,174.96 MT	7,595.46 MT
	Lightship:	5.47 m	2.35 m	Not Applicable	2,421.54 MT
	Normal Ballast Condition:	3.40 m	4.40 m	2,580.00 MT	5,000.00 MT
	Segregated Ballast Condition:	3.40 m	4.40 m	2,580.00 MT	5,000.00 MT
1.40	FWA/TPC at sumr	mer draft:		125.00 mm	13.70 MT

1.41		Does vessel have multiple SDWT? If yes, please provide all assigned loadlines:			
1.42	Constant (excluding	fresh water):			50 MT
1.43	What is the compan (UKC) for this vesse		nder Keel Clearance	5,0m at sea 0,5m under pilo	otage and alongside
1.44	What is the max hei	ght of mast above	e waterline (air draft)	Full Mast	Collapsed Mast
	Summer deadweigh	t:		26.92 m	0 m
	Normal ballast:			27.70 m	0 m
	Lightship:			30.85 m	0 m
2.	CERTIFICATES	Issued	Last Annual	Last Intermediate	Expires
2.1	Safety Equipment Certificate (SEC):	N/A	N/A	N/A	N/A
2.2	Safety Radio Certificate (SRC):	N/A	N/A	N/A	N/A
2.3	Safety Construction Certificate (SCC):	N/A	N/A	N/A	N/A
2.4	International Loadline Certificate (ILC):	N/A	N/A	N/A	N/A
2.5	International Oil Pollution Prevention Certificate (IOPPC):	N/A	N/A	N/A	N/A
2.6	International Ship Security Certificate (ISSC):	N/A	N/A	N/A	N/A
2.7	Maritime Labour Certificate (MLC):	N/A	N/A	N/A	N/A
2.8	ISM Safety Management Certificate (SMC):	N/A	N/A	N/A	N/A
2.9	Document of Compliance (DOC):	N/A	N/A	N/A	N/A
2.10	USCG Certificate of Compliance (USCGCOC):	N/A	N/A	N/A	N/A
2.11	Civil Liability Convention (CLC) 1992 Certificate:	N/A	N/A	N/A	N/A

2.12	Civil Liability for Bunker Oil Pollution Damage Convention (CLBC) Certificate:	N/A	N/A	N/A	N/A	
2.13	Liability for the Removal of Wrecks Certificate (WRC):	N/A	N/A	N/A	N/A	
2.14	U.S. Certificate of Financial Responsibility (COFR):	N/A	N/A	N/A	N/A	
2.15	Certificate of Class (COC):	N/A	N/A	N/A	N/A	
2.16	International Sewage Pollution Prevention Certificate (ISPPC)	N/A	N/A	N/A	N/A	
2.17	Certificate of Fitness (COF):	N/A	N/A	N/A	N/A	
2.18	International Energy Efficiency Certificate (IEEC):	N/A	N/A	N/A	N/A	
2.19	International Air Pollution Prevention Certificate (IAPPC):	N/A	N/A	N/A	N/A	
Docum	nentation			1	1	
2.20	Owner warrant that remain so for the eduration of this voy		of ITOPF and will		Yes	
2.21	complying with OC	in place a Drug and IMF guidelines s and Alcohol Onbo	-		Yes	
2.22	Is the ITF Special	Agreement on board	d (if applicable)?	Yes		
2.23	ITF Blue Card expi	ry date (if applicable	e):	Not Applicable		
3.	CREW					
3.1	Nationality of Maste	er.		Polish		
3.2	Number and nation			7	Polish	
3.3	Number and nation			4	Polish	
3.4		on working language	e onboard:	English	1. 5	
3.5	<u> </u>	and understand Eng		Yes		
3.6	If Officers/Crew em Manning Agency -	ployed by a	Officers: M. H. Simonsen	1 **		

Christiansmindevej 76, 5700 Svendborg Tel: +4562203633 Fax: +4562203533 Telex: NA Email: mhs@mhsimonsen.com						
			Crew: NA			
4.	FOR USA CALLS					
4.1	Has the vessel Ope Response Plan to thapproved by official	ne US Coast Gua		No		
4.2	Qualified individual	(QI) - Full style:	Not Applicable			
4.3	Oil Spill Response (OSRO) - Full style:		Not Applicable			
4.4	Salvage and Marine Services (SMFF) - F					
5.	SAFETY/HELICOP	ΓER				
5.1	Is the vessel operate System? If Yes, wha Resolution A.741(18	at type of system	ity Management ? (ISO9001 or IMO	Yes IMO Resolution A.741 (18)		
5.2	Can the ship comply	with the ICS He	elicopter Guidelines?	N/A		
5.2.1	If Yes, state whethe	r winching or lan	ding area provided:			
5.2.2	If Yes, what is the d	iameter of the ci	rcle provided:	0 m		
6.	COATING/ANODES	3				
Tank (Coating					
6.1	Tank Coating	Coated	Туре	To What Extent	Anodes	
	Cargo tanks:	Yes	Marine Line	Whole Tank	No	
	Ballast tanks:	Yes	Intershield	Whole Tank	Yes	
	Slop tanks:	Yes	Marine Line	Whole Tank	No	
7.	BALLAST					
7.1	Pumps:	No.	Туре	Capacity	At What Head (sg=1.0)	
	Ballast Pumps:	2	Centrifugal	350 m3/hr	50 m	
	Ballast Eductors:	2	Other	40 m3/hr	3.50 m	
8.	CARGO-OIL/CHEM	ICAL				
Double	e Hull Vessels					
8.1	Is vessel fitted with o	centerline bulkherated:	ead in all cargo tanks?	Yes, Solid		
Cargo	Tank Capacities			I		
8.2	Number of cargo tanks and total cubic capacity (98%):			14	10,666.01 m3 (98%)	

8.2.1	Capacity (98%) of each natural segregation with double valve (specify tanks):	1p/s = 298.3 2p/s = 627.972 3p/s = 1177.68 4p/s = 740.27 5p/s = 1173.992 6p/s = 610.0 7p/s = 654.7 (98%)		
8.2.2	IMO class (Oil/Chemical Ship Type 1, 2 or 3):	2		
8.3	Number of slop tanks and total cubic capacity (98%):	1	150.77 m3 (98%)	
8.3.1	Specify segregations which slops tanks belong to and their capacity with double valve:	NA		
8.3.2	Residual/Retention oil tank(s) capacity (98%), if applicable:		0 m3	
SBT V	essels			
8.3.3	What is total SBT capacity and percentage of SDWT vessel can maintain?	2,265.00 m3	49.00 %	
8.3.4	Does vessel meet the requirements of MARPOL Annex I Reg 18.2:	Yes		
Cargo	Handling and Pumping Systems			
8.4	How many grades/products can vessel load/discharge with double valve segregation:		3	
8.4.1	State type of cargo containment (integral, independent, gravity or pressure tanks):			
8.5	Are there any cargo tank filling restrictions? If yes, specify number of slack tanks, max s.g., ullage restrictions etc.:	Yes Max. cargo density 1.54 t/m3		
8.6	Max loading rate for homogenous cargo	With VECS	Without VECS	
	Loaded per manifold connection:	m3/hr	500 m3/hr	
	Loaded simultaneously through all manifolds:	m3/hr	1,000.00 m3/hr	
Cargo	Control Room			
8.7	Is ship fitted with a Cargo Control Room (CCR)?		Yes	
8.8	Can tank innage / ullage be read from the CCR?		Yes	
Gaugir	ng and Sampling			
8.9	Is gauging system certified and calibrated? If no, specify which ones are not calibrated:	Yes, NA		
	What type of gauging system as per IBC 13.1 is fitted (Open/Restricted/Closed)?			
	What type of fixed closed tank gauging system is fitted:	API		
	Is a tank overflow control system fitted? If yes, then state if system includes automatic closing of valves?:	Yes,		
	Are overfill (high) alarms fitted? If Yes, indicate whether to all tanks or partial:	Yes, All		
8.9.1	Can cargo be transferred under closed loading conditions in accordance with ISGOTT 11.1.6.6?		Yes	
8.9.2	Are cargo tanks fitted with multipoint gauging? If yes, specify type and locations:	N/A, NA		
8.10	Number of portable gauging units (example- MMC) on board:		4	
	board.			

8.11	Is a Vapour Emission Control System	(VECS) fitted?	Yes		
8.12	Number/size of VECS manifolds (per	side):	1		152.40 mm
8.13	Number / size / type of VECS reducers	s:	NA	ı	
Venting	<u> </u>		ı		
8.14	State what type of venting system is fi	tted:	One independant P	V "Press Vac" in each tank.	
Cargo	Manifolds and Reducers		I		
8.15	Total number / size of cargo manifold side:	connections on each	3 / 170.00 mm		
8.15.1	Does the vessel have a Common Line connection? If yes, describe:	Manifold	Common line in car	go pump room	
8.16	What type of valves are fitted at manif	old:	Butterfly		
8.17	What is the material/rating of the mani	fold:	316 L Stainless stee	el / 8 inch	
8.17.1	Does vessel comply with the latest ed 'Recommendations for Oil Tanker Mar Associated Equipment'?			Yes	
8.18	Distance between cargo manifold cen	ters:			1,000.00 mm
8.19	Distance ships rail to manifold:				2,500.00 mm
8.20	Distance manifold to ships side:				3,700.00 mm
8.21	Top of rail to center of manifold:		1,200.00 mm		
8.22	Distance main deck to center of manif	old:			1,800.00 mm
8.23	Spill tank grating to center of manifold	:			900.00 mm
8.24	Manifold height above the waterline in SDWT condition:	normal ballast / at	6.00 m		4.00 m
8.25	Number / size / type of reducers:		2 x 203/102mm (8/4 2 x 203/152mm (8/6 1 x 203/254mm (8/7 DIN	S")	
8.26	Is vessel fitted with a stern manifold?	f yes, state size:	No, 0 mm		
Heating	9				
8.27	Cargo / slop tanks fitted with a cargo heating system?	Туре	Coiled	Material	
	Cargo tanks:	Steam	Yes	SS	
	Slop tanks:	Steam	Yes	Stainless steel	
8.27.1	Is a Thermal Oil Heating system fitted tanks?:	? If yes, identify	,		
8.28	Maximum temperature cargo can be lo	paded / maintained:	85.0 °C / 185.0 °F		85 °C / 185 °F
8.28.1	Minimum temperature cargo can be lo	aded / maintained:			
Inert G	as and Crude Oil Washing				
8.29	Is an Inert Gas System (IGS) fitted / o	perational?		Yes / Yes	
8.29.1	Is a Crude Oil Washing (COW) installa operational?	ation fitted /		No / N/A	
8.30	Is IGS supplied by flue gas, inert gas (nitrogen:	IG) generator and/or	Nitrogen Generator		
8.30.1	If nitrogen generator, specify the appli each of the designed purity modes:	cable flow rate for			

Cargo	Pumps						
8.31	How many capacity:	argo p	umps can be run si	multaneously at full		3	
8.32	Pumps:		No.	Туре	Capacity	At What Head (sg=1.0)	
	Cargo Pump	s:	3	Screw	350 M3/HR	70 Meters 70 Meters 70 Meters	
	Cargo Educt	ors:	0	N/A	0 m3/hr	0 m	
	Stripping:	İ	2	Other	50 m3/hr	30 m	
8.33	Is at least on	e eme	ergency portable car	rgo pump provided?	Yes		
Tank C	leaning Syste	ms					
8.34	Is tank clean	ing eq	uipment fixed in car	rgo tanks?	Yes		
8.35	Is portable ta	ınk cle	aning equipment pr	ovided?	Yes		
8.36	Tank washin	g pum	p capacity:			60.00 m3/hr	
8.37	_		heater fitted? If yes	s is it operational and	Yes, 90.00 °C		
8.38			um number of mach		6		
Other I	Deck Equipme	ent					
8.39	Is vessel fitted with a remote cargo tank temperature monitoring system. If yes, is it operational?				Yes,		
8.40			a remote cargo tar If yes, is it operation		Yes,		
8.41	Is vessel fitte operational a		a cargo tank drier. ite capacity:	If yes is it	No, , m3/hr		
8.42			a cargo cooling systemate tanks applicable		, ,		
8.43	Is steam ava	ilable	on deck?		Yes		
9.	MOORING						
9.1	Wires (on drums)	No.	Diameter	Material	Length	Breaking Strength	
	Forecastle:	0	0 mm	Not Applicable	0 m	0 MT	
	Main deck fwd:	0	0 mm	Not Applicable	0 m	0 MT	
	Main deck aft:	0	0 mm	Not Applicable	0 m	0 MT	
	Poop deck:	0	0 mm	Not Applicable	0 m	0 MT	
9.2	Wire tails	No.	Diameter	Material	Length	Breaking Strength	
	Forecastle:	0	0 mm	Not Applicable	0 m	0 MT	
	Main deck fwd:	0	0 mm	Not Applicable	0 m	0 MT	
	Main deck aft:	0	0 mm	Not Applicable	0 m	0 MT	
	Poop deck:	0	0 mm	Not Applicable	0 m	0 MT	

9.3	Ropes (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	2	40.00 mm	рр	220.00 m	30.00 MT
	Main deck fwd:	0	0 mm	Not Applicable	0 m	0 MT
	Main deck aft:	0	0 mm	Not Applicable	0 m	0 MT
	Poop deck:	2	40.00 mm	pp	220.00 m	30.00 MT
9.4	Other lines	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	4	40.00 mm	pp	220.00 m	30.00 MT
	Main deck fwd:	0	0 mm	Not Applicable	0 m	0 MT
	Main deck aft:	0	0 mm	Not Applicable	0 m	0 MT
	Poop deck:	4	40.00 mm	рр	220.00 m	30.00 MT
9.5	Winches	No.	No. Drums	Motive Power	Brake Capacity	Type of Brake
	Forecastle:	2	Single Drum	Hydraulic	80.00 MT	Brake lining
	Main deck fwd:	0	N/A	N/A	0 MT	NA
	Main deck aft:	0	N/A	N/A	0 MT	N/A
	Poop deck:	2	Single Drum	Hydraulic	80.00 MT	Brake lining
9.6	Bitts, closed chocks/fairle	ads	No. Bitts	SWL Bitts	No. Closed Chocks	SWL Closed Chocks
	Forecastle:		7	80 MT	7	50 MT
	Main deck fw	/d:	2	50 MT	2	50 MT
	Main deck af	t:	2	50 MT	2	50 MT
	Poop deck:		5	80 MT	5	50 MT
Ancho	s/Emergency	Towir	ng System			
9.7	Number of st	nackle	es on port / starboard	d cable:		8/9
9.8	Type / SWL	of Em	ergency Towing sys	tem forward:	Not Applicable	0 MT
9.9	Type / SWL	of Em	ergency Towing sys	tem aft:	Not Applicable	0 MT
Escort	Tug					
9.10	What is size enclosed typ		of closed chock an stern:	d/or fairleads of	Not Applicable	50.00 MT
9.11	What is SWL tug:	of bo	llard on poop deck	suitable for escort		80.00 MT
Lifting	Equipment/Ga	ngwa	у			
9.12				SWL and location):	Cranes: 1 x 5.00 To Center	nnes
9.13	Accommoda	tion la	dder direction:			
	Does vessel	have	a portable gangway	? If yes, state length:		m
Single	Point Mooring	(SPN	Л) Equipment			
9.14			eet the recommend Recommendations f			No

	Employed in the Bow Mooring of Conv Single Point Moorings (SPM)'?	rentional Tankers at		
9.15	If fitted, how many chain stoppers:		0	
9.16	State type / SWL of chain stopper(s):		Not Applicable	0 MT
9.17	What is the maximum size chain diame stopper(s) can handle:	eter the bow		0 mm
9.18	Distance between the bow fairlead and stopper/bracket:	d chain		0 m
9.19	Is bow chock and/or fairlead of enclose recommended size (600mm x 450mm) of size:		Yes Not Applicable	
40	DDODIH OLON			
10.	PROPULSION			
10.1	Speed		Maximum	Economical
	Ballast speed:		15.00 Kts (WSNP)	12.50 Kts (WSNP)
	Laden speed:		14 Kts (WSNP)	11.80 Kts (WSNP)
10.2	What type of fuel is used for main propplant:	oulsion / generating	IFO or MDO-DMA	MGO
10.3	Type / Capacity of bunker tanks:		Fuel Oil: 239.61 m3 Diesel Oil: 239.61 n Gas Oil: 50.59 m3	
10.4	Is vessel fitted with fixed or controllable	e pitch propeller(s):	Controllable	
10.5	Engines	No	Capacity	Make/Type
1	Main engine:	1	3,250 Kw	MAN B&W 5L35MC
	Aux engine:	3	342 Kw	Volvo Penta TAMD 165A-A
	Power packs:	2	160 m3	Damcos
	Boilers:	2	25.00 MT/Hr	NA
Bow/S	tern Thruster	•		
10.6	What is brake horse power of bow thru	ıster (if fitted):	Yes, 340.00 bhp	
10.7	What is brake horse power of stern thr	uster (if fitted):	No, 0 bhp	
Emissi	ions		1	
10.8	Main engine IMO NOx emission stand	ard:	Not Applicable	
10.9	Energy Efficiency Design Index (EEDI)) rating number:	N/A	
			1	
11.	SHIP TO SHIP TRANSFER			
11.1	Does vessel comply with recommenda OCIMF/ICS Ship To Ship Transfer Gui Chemicals or Liquified Gas, as applica	ide (Petroleum,		Yes
11.2	What is maximum outreach of cranes of the ship's side:	derricks outboard		3.00 m
11.3	Date/place of last STS operation:		Contact Charterers	for details
	1			
12.	RECENT OPERATIONAL HISTORY			
12.1	Last three cargoes / charterers / voyag 3rd Last):	ges (Last / 2nd Last /		

12.2	Has vessel been involved in a pollution, grounding, serious casualty or collision incident during the past 12 months? If yes, full description:	Pollution: No, N/A Grounding: No, N/A Casualty: No, N/A Repair: No, Not Applicable Collision: No, N/A
12.3	Date and place of last Port State Control inspection:	May 01, 2018 / Birkenhead
12.4	Any outstanding deficiencies as reported by any Port State Control? If yes, provide details:	No Expanded inspection - Nil obs raised.
12.5	Recent Oil company inspections/screenings (To the best of owners knowledge and without guarantee of acceptance for future business)*: *"Approvals" are not given by Oil Majors and ships are accepted for the voyage on a case by case basis.	Contact owners for details
12.6	Date / place of last SIRE inspection:	N/A
12.6.1	Date / place of last CDI inspection:	N/A
12.7	Additional information relating to features of the ship or operational characteristics:	

Revised 2018 (INTERTANKO / Q88.com)