

1.	VESSEL DESCRIPTION		
1.1	Date updated:	Sep 02, 2016	
1.2	Vessel's name (IMO number):	Oratank (9336713)	
1.3	Vessel's previous name(s) and date(s) of change:	Not Applicable	
1.4	Date delivered / Builder (where built):	Jan 10, 2008 / Desan Shipyard, Tuzla/Istanbul	
1.5	Flag / Port of Registry:	Denmark / Svendborg	
1.6	Call sign / MMSI:	OXPJ2 / 220516000	
1.7	Vessel's contact details (satcom/fax/email etc.):	Tel: 422051610 / 422051611	
		Fax: Not Applicable	
		Email: oratank.master@mhsimonsen.com	
1.8	Type of vessel (as described in Form A or Form B Q1.11 of the IOPPC):	Oil Tanker	
1.9	Type of hull:	Double Hull	
Classification			
1.10	Classification society:	Det Norske Veritas	
1.11	Class notation:	1A1 ICE-1A Tanker for Chemicals and Oil Products ESP E0 HL(1.54)	
1.12	Is the vessel subject to any conditions of class, class extensions, outstanding memorandums or class recommendations? If yes, give details:	Yes CA MOB davit to be repaired CC Fixed gas detection unit to be calibrated	
1.13	If classification society changed, name of previous and date of change:	Bureau Veritas , Apr 12, 2010	
1.14	IMO type, if applicable:	2	
1.15	Does the vessel have ice class? If yes, state what level:	Yes , 1A	
1.16	Date / place of last dry-dock:	Jul 14, 2015 / Reykjavik	
1.17	Date next dry dock due / next annual survey due:	Jul 27, 2017	Jul 27, 2017
1.18	Date of last special survey / next special survey due:	Jul 14, 2015	Jul 27, 2017
1.19	If ship has Condition Assessment Program (CAP), what is the latest overall rating:	No ,	
1.20	Does the vessel have a statement of compliance issued under the provisions of the Condition Assessment Scheme (CAS): If yes, what is the expiry date?	N/A	
Dimensions			
1.21	Length overall (LOA):	106.20 m	
1.22	Length between perpendiculars (LBP):	100.70 m	
1.23	Extreme breadth (Beam):	15.80 m	
1.24	Moulded depth:	7.80 m	
1.25	Keel to masthead (KTM)/ Keel to masthead (KTM) in collapsed condition, if applicable:	30.80 m	m
1.26	Bow to center manifold (BCM) / Stern to center manifold (SCM):	54.00 m	52.00 m
1.27	Distance bridge front to center of manifold:	36.20 m	
1.28	Parallel body distances:	Lightship	Normal Ballast Summer Dwt
	Forward to mid-point manifold:	23.00 m	22.00 m 31.50 m
	Aft to mid-point manifold:	25.00 m	33.00 m 35.50 m
	Parallel body length:	48 m	55 m 67 m
1.29	FWA/TPC at summer draft:	131.00 mm	14.00 MT
1.30	Constant (excluding fresh water):	50 MT	
1.31	What is the company guidelines for Under Keel Clearance (UKC) for this vessel?	5 meters during sea voyage 0,5 meters in shallow Waters 0,5 meters during harbour approach 0,5 meters alongside	
1.32	What is the max height of mast above waterline (air draft)	Full Mast	Collapsed Mast

Lightship:	28.41 m	0 m
Normal ballast:	27.00 m	0 m
At loaded summer deadweight:	24.5 m	0 m

Tonnages

1.33	Net Tonnage:	1495.00
1.34	Gross Tonnage / Reduced Gross Tonnage (if applicable):	3691.00 3051
1.35	Suez Canal Tonnage - Gross (SCGT) / Net (SCNT):	0 0
1.36	Panama Canal Net Tonnage (PCNT):	0

Ownership and Operation

1.37	Registered owner - Full style:	M.H. Simonsen ApS M.H. Simonsen ApS Christiansmindevej 76 5700 Svendborg, Denmark Denmark Tel: +45 62202033 Fax: +45 6220 3533 Telex: NA Email: mhs@mhsimonsen.com Web: www.mhsimonsen.com Company IMO#: 0243438
1.38	Technical operator - Full style:	M.H. Simonsen ApS M.H. Simonsen ApS Christiansmindevej 76 5700Svendborg Denmark Denmark Tel: +45 62202033 Fax: +45 62203533 Telex: Not aplicable Email: mhs@mhsimonsen.com Web: www.mhsimonsen.com
1.39	Commercial operator - Full style:	SimChart Aps Christiansmindevej 76, DK/5700Svendborg, Denmark Denmark Tel: +45 62202033 Fax: +45 62213629 Telex: NA Email: sc@simchart.com
1.40	Disponent owner - Full style:	Simonsen Chartering ApS Christiansmindevej 76 5700 Svendborg Denmark Tel: +45 6220 2033 Fax: +45 6220 1033 Email: sc@simchart.com Web: www.mhsimonsen.com

2.	CERTIFICATION	Issued	Last Annual	Expires
2.1	Safety Equipment Certificate (SEC):	Sep 14, 2012	Aug 12, 2016	Jul 27, 2017
2.2	Safety Radio Certificate (SRC):	Sep 14, 2012	Aug 12, 2016	Jul 27, 2017
2.3	Safety Construction Certificate (SCC):	Sep 14, 2012	Aug 12, 2016	Sep 27, 2017
2.4	International Loadline Certificate (ILC):	Sep 14, 2012	Aug 12, 2016	Sep 27, 2017
2.5	International Oil Pollution Prevention Certificate (IOPPC):	Nov 12, 2012	Aug 12, 2016	Jul 27, 2017
2.6	ISM Safety Management Certificate (SMC):	Jun 17, 2013	Jun 25, 2016	Jun 17, 2018
2.7	Document of Compliance (DOC):	Dec 06, 2012	Jul 10, 2014	Oct 07, 2017
2.8	USCG Certificate of Compliance (COC):			
2.9	Civil Liability Convention (CLC) 1992 Certificate:	Feb 20, 2016	Not Applicable	Feb 20, 2017
2.10	Civil Liability for Bunker Oil Pollution Damage Convention (CLBC) Certificate:	Feb 20, 2016	Not Applicable	Feb 20, 2017
2.11	Ship Sanitation Control (SSCC)/Ship Sanitation Control Exemption (SSCE) Certificate:	Not Applicable	Not Applicable	Not Applicable
2.12	U.S. Certificate of Financial Responsibility (COFR):	Not Applicable	Not Applicable	Not Applicable

2.13	Certificate of Class (COC):	Sep 14, 2012	Aug 12, 2016	Jul 27, 2017	
2.14	International Sewage Pollution Prevention Certificate (ISPPC)	Sep 14, 2012	Not Applicable	Jul 27, 2017	
2.15	Certificate of Fitness (COF):	Sep 14, 2012	Aug 12, 2016	Jul 27, 2017	
2.16	International Energy Efficiency Certificate (IEEC):	Aug 09, 2013	Not Applicable	Not Applicable	
2.17	International Ship Security Certificate (ISSC):	Jun 17, 2013	Jun 25, 2016	Jul 11, 2018	
2.18	International Air Pollution Prevention Certificate (IAPPC):	Sep 14, 2012	Aug 12, 2016	Jul 27, 2017	
2.19	Maritime Labour Certificate (MLC):	Sep 05, 2013	Not Applicable	Aug 07, 2018	
Documentation					
2.20	Owner warrant that vessel is member of ITOPF and will remain so for the entire duration of this voyage/contract:	Yes			
2.21	Does vessel have in place a Drug and Alcohol Policy complying with OCIMF guidelines for Control of Drugs and Alcohol Onboard Ship?	Yes			
2.22	Is the ITF Special Agreement on board (if applicable)?	N/A			
2.23	ITF Blue Card expiry date:				
3. CREW					
3.1	Nationality of Master:	Danish			
3.2	Number and Nationality of Officers:	5 Danish / polish			
3.3	Number and Nationality of Crew:	6 Danish / Polish			
3.4	What is the common working language onboard:	English			
3.5	Do officers speak and understand English:	Yes			
3.6	If Officers/Crew employed by a Manning Agency - Full style:	Officers: M.H. Simonsen M.H.Simonsen ApS. Christiansmindevej 76, DK-5700 Svendborg, Denmark Tel: +45 62202033 Fax: +45 62203533 Email: mhs@mhsimonsen.com Crew: NA			
4. FOR USA CALLS					
4.1	Has the vessel Operator submitted a Vessel Spill Response Plan to the US Coast Guard which has been approved by official USCG letter?	N/A			
4.2	Qualified individual (QI) - Full style:				
4.3	Oil Spill Response Organization (OSRO) - Full style:				
5. CARGO AND BALLAST HANDLING					
Double Hull Vessels					
5.1	Is vessel fitted with centerline bulkhead in all cargo tanks? If Yes, solid or perforated:	No , Solid			
Loadline Information					
5.2	Loadline	Freeboard	Draft	Deadweight	Displacement
	Summer:	1.51 m	6.30 m	4900.82 MT	7437.60 MT
	Winter:	1.65 m	6.17 m	4716.97 MT	7253.77 MT
	Tropical:	0 m	0 m	0 MT	0 MT

	Lightship:	5.41 m	2.39 m	Not Applicable	2536.78 MT
	Normal Ballast Condition:	3.30 m	4.54 m	4858.00 MT	5059.93 MT
5.3	Does vessel have multiple SDWT? If yes, please provide all assigned loadlines:			No	
Cargo Tank Capacities					
5.4	Number of cargo tanks and total cubic capacity (98%):			14	5296 m3
5.5	Capacity (98%) of each natural segregation with double valve (specify tanks):			Seg#1: 299 m3 (1) Seg#2: 632 m3 (2) Seg#3: 1182 m3 (3) Seg#4: 742 m3 (4) Seg#5: 1176 m3 (5) Seg#6: 610 m3 (6) Seg#7: 655 m3 (7)	
5.6	Number of slop tanks and total cubic capacity (98%):			2	149.76 m3
5.7	Specify segregations which slops tanks belong to and their capacity with double valve:			NA	
5.8	Residual/Retention oil tank(s) capacity (98%), if applicable:			0 m3	
5.9	Does vessel have Segregated Ballast Tanks (SBT) or Clean Ballast Tanks (CBT):			SBT	
SBT Vessels					
5.10	What is total SBT capacity and percentage of SDWT vessel can maintain?			2265.00 m3	49.00 %
5.11	Does vessel meet the requirements of MARPOL Annex I Reg 18.2:			Yes	
Cargo Handling and Pumping Systems					
5.12	How many grades/products can vessel load/discharge with double valve segregation:			3	
5.13	Are there any cargo tank filling restrictions? If yes, specify number of slack tanks, max s.g., ullage restrictions etc.:			Yes Density of 1,54 max	
5.14	Pumps:	No.	Type	Capacity	At What Head (sg=1.0)
	Cargo Pumps:	3	Screw	350 M3/HR	70 Meters 70 Meters 70 Meters
	Cargo Eductors:	0	Centrifugal	0 m3/hr	0 m
	Stripping:	2	Other	50 m3/hr	30 m
	Ballast Pumps:	2	Centrifugal	350 m3/hr	50 m
	Ballast Eductors:	2	Ejektor	50 m3/hr	8 m
5.15	Max loading rate for homogenous cargo per manifold connection:			600 m3/hr	
5.16	Max loading rate for homogenous cargo loaded simultaneously through all manifolds:			600.00 m3/hr	
5.17	How many cargo pumps can be run simultaneously at full capacity:			3	
Cargo Control Room					
5.18	Is ship fitted with a Cargo Control Room (CCR)?			Yes	
5.19	Can tank innage / ullage be read from the CCR?			Yes	
Gauging and Sampling					
5.20	Can cargo be transferred under closed loading conditions in accordance with ISGOTT 11.1.6.6?			Yes	
5.21	What type of fixed closed tank gauging system is fitted:			API	
5.22	Number of portable gauging units (example- MMC) on board:			3	
5.23	Are overfill (high) alarms fitted? If Yes, indicate whether to all tanks or partial:			Yes , All	
5.24	Are cargo tanks fitted with multipoint gauging? If yes, specify type and locations:			N/A , NA	

5.25	Is gauging system certified and calibrated? If no, specify which ones are not calibrated:		Yes , NA			
Vapor Emission Control System (VECS)						
5.26	Is a Vapour Emission Control System (VECS) fitted?		Yes			
5.27	Number/size of VECS manifolds (per side):		1	150 mm		
5.28	Number / size / type of VECS reducers:		NA			
Venting						
5.29	State what type of venting system is fitted:		Independent PV Valves			
Cargo Manifolds and Reducers						
5.30	Does vessel comply with the latest edition of the OCIMF 'Recommendations for Oil Tanker Manifolds and Associated Equipment'?		Yes			
5.31	Total number / size of cargo manifold connections on each side:		3 / 200.00 mm			
5.32	What type of valves are fitted at manifold:		Butterfly			
5.33	What is the material/rating of the manifold:		Stainless Steel / 8 inch			
5.34	Does the vessel have a Common Line Manifold connection? If yes, describe:		Common line in cargo pump room			
5.35	Distance between cargo manifold centers:		1000.00 mm			
5.36	Distance ships rail to manifold:		2500.00 mm			
5.37	Distance manifold to ships side:		3700.00 mm			
5.38	Top of rail to center of manifold:		1200.00 mm			
5.39	Distance main deck to center of manifold:		1800.00 mm			
5.40	Spill tank grating to center of manifold:		900.00 mm			
5.41	Manifold height above the waterline in normal ballast / at SDWT condition:		6.00 m	4.00 m		
5.42	Number / size / type of reducers:		None DIN			
5.43	Is vessel fitted with a stern manifold? If yes, state size:		Yes , 100.00 mm			
Heating						
5.44	Cargo / slop tanks fitted with a cargo heating system?	Type	Coiled	Material		
	Cargo tanks:	Steam	Yes	SS		
	Slop tanks:	NA	No	NA		
5.45	Maximum temperature cargo can be loaded / maintained:		85.0 Å°C / 185.0 Å°F	85 Å°C / 185 Å°F		
5.46	Minimum temperature cargo can be loaded / maintained:					
Coating / Anodes						
5.47	Tank Coating	Coated	Type	To What Extent	Anodes	
	Cargo tanks:	Yes	Marine Line	Whole Tank	No	
	Ballast tanks:	Yes	International 7004	Whole Tank	Yes	
	Slop tanks:	Yes	Marine line	Whole Tank		
6. INERT GAS AND CRUDE OIL WASHING						
6.1	Is a Crude Oil Washing (COW) installation fitted / operational?		No / N/A			
6.2	Is an Inert Gas System (IGS) fitted / operational?		Yes / Yes			
6.3	Is IGS supplied by flue gas, inert gas (IG) generator and/or nitrogen:		Nitrogen Generator			
7. MOORING						
7.1	Wires (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	0	0 mm	0	0 m	0 MT
	Main deck fwd:	0	0 mm	0	0 m	0 MT

	Main deck aft:	0	0 mm	0	0 m	0 MT
	Poop deck:	0	0 mm	0	0 m	0 MT
7.2	Wire tails	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	0	0 mm	0	0 m	0 MT
	Main deck fwd:	0	0 mm	0	0 m	0 MT
	Main deck aft:	0	0 mm	0	0 m	0 MT
	Poop deck:	0	0 mm	0	0 m	0 MT
7.3	Ropes (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	2	40.00 mm	Non-pp	220.00 m	30.00 MT
	Main deck fwd:	0	0 mm	0	0 m	0 MT
	Main deck aft:	0	0 mm	0	0 m	0 MT
	Poop deck:	2	40.00 mm	Non-pp	220.00 m	30.00 MT
7.4	Other lines	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	2	48.00 mm	Non-pp	220.00 m	50.00 MT
	Main deck fwd:	0	0 mm	0	0 m	0 MT
	Main deck aft:	0	0 mm	0	0 m	0 MT
	Poop deck:	2	40.00 mm	Non-pp	220.00 m	30.00 MT
7.5	Winches	No.	No. Drums	Motive Power	Brake Capacity	Type of Brake
	Forecastle:	2	Single Drum	Hydraulic	25.00 MT	Man
	Main deck fwd:	2	Single Drum	Hydraulic	80 MT	Brake lining
	Main deck aft:	2	Single Drum	Hydraulic	80 MT	Brake lining
	Poop deck:	2	Single Drum	Hydraulic	25.00 MT	Man
7.6	Bits, closed chocks/fairleads	No. Bits	SWL Bits	No. Closed Chocks	SWL Closed Chocks	
	Forecastle:	8	120 MT	7	120 MT	
	Main deck fwd:	2	80 MT	2	50 MT	
	Main deck aft:	2	80 MT	2	50 MT	
	Poop deck:	5	80 MT	5	50 MT	
Anchors/Emergency Towing System						
7.7	Number of shackles on port / starboard cable:				8 / 9	
7.8	Type / SWL of Emergency Towing system forward:				0	0 MT
7.9	Type / SWL of Emergency Towing system aft:				0	0 MT
Escort Tug						
7.10	What is size / SWL of closed chock and/or fairleads of enclosed type on stern:				NA	50.00 MT
7.11	What is SWL of bollard on poop deck suitable for escort tug:				80.00 MT	
Bow/Stern Thruster						
7.12	What is brake horse power of bow thruster (if fitted):				Yes , 505.00 bhp	
7.13	What is brake horse power of bow thruster (if fitted):				No , 0 bhp	
Single Point Mooring (SPM) Equipment						
7.14	Does the vessel meet the recommendations in the latest edition of OCIMF 'Recommendations for Equipment Employed in the Bow Mooring of Conventional Tankers at Single Point Moorings (SPM)'?				No	
7.15	If fitted, how many chain stoppers:				0	
7.16	State type / SWL of chain stopper(s):				NA	0 MT
7.17	What is the maximum size chain diameter the bow stopper(s) can handle:				0 mm	
7.18	Distance between the bow fairlead and chain stopper/bracket:				0 mm	
7.19	Is bow chock and/or fairlead of enclosed type of OCIMF recommended size (600mm x 450mm)? If not, give details of size:				N/A NA	

Lifting Equipment			
7.20	Derrick / Crane description (Number, SWL and location):	Cranes: 1 x 5.00 Tonnes Center	
7.21	What is maximum outreach of cranes / derricks outboard of the ship's side:	3 m	
Ship To Ship Transfer (STS) / Helicopter Operations			
7.22	Does vessel comply with recommendations contained in OCIMF/ICS Ship To Ship Transfer Guide (Petroleum, Chemicals or Liquefied Gas, as applicable)?	N/A	
7.23	Can the ship comply with the ICS Helicopter Guidelines? If Yes, state whether winching or landing area provided and diameter of the circle provided:	No , m	
8. MISCELLANEOUS			
Engine			
8.1	Speed	Maximum	Economic
	Ballast speed:	15 Kts (WSNP)	12.50 Kts (WSNP)
	Laden speed:	14 Kts (WSNP)	11.80 Kts (WSNP)
8.2	What type of fuel is used for main propulsion?	HFO / GO	MDO
8.3	Type / Capacity of bunker tanks:	Fuel Oil: 230.52 m3 Diesel Oil: 15.59 m3 Gas Oil: 12.03 m3	
8.4	Is vessel fitted with fixed or controllable pitch propeller(s):	Controllable	
8.5	Engines	No	Capacity
	Main engine:	1	3250 Kw
	Aux engine:	3	342 Kw
	Power packs:	2	160 m3
	Boilers:	2	2.00 MT/Hr
			MAN B&W 5L35MC
			Volvo Penta TAMD 165A-A
			Damcos
			NA
Emissions			
8.6	Main engine IMO NOx emission standard:	Not Applicable	
8.7	Energy Efficiency Design Index (EEDI) rating number:	NA	
Insurance			
8.8	P & I Club - Full Style:	SKULD Frederiksborggade 15 1360 København K Danmark Tel: +45 33433400 Fax: +45 33113341 Telex: NA Email: underwriting.cph@skuld.com Web: http://www.skuld.com	
8.9	P & I Club pollution liability coverage / expiration date:	100000000 US\$	Feb 20, 2017
8.10	Hull & Machinery insured by - Full Style:	Danske søforsikring - Danish Maritime Insurance	
8.11	Hull & Machinery insured value / expiration date:	18150000 US\$	Feb 01, 2017
Recent Operational History			
8.12	Date and place of last Port State Control inspection:	Sep 12, 2015 / Reykjavik	
8.13	Any outstanding deficiencies as reported by any Port State Control? If yes, provide details:	Yes 2 deficiencies noted, all rectified	
8.14	Has vessel been involved in a pollution, grounding, serious casualty or collision incident during the past 12 months? If yes, full description:	Pollution: No , Grounding: No , Casualty: No , Collision: No ,	
8.15	Last three cargoes / charterers / voyages (Last / 2nd Last / 3rd Last):		
8.16	Date/place of last STS operation:		
Vetting			
8.17	Date of last SIRE inspection:	Not Applicable	

8.18	Date of last CDI inspection:	Not Applicable
8.19	Recent Oil company inspections/screenings (To the best of owners knowledge and without guarantee of acceptance for future business)*: <i>*"Approvals" are not given by Oil Majors and ships are accepted for the voyage on a case by case basis.</i>	Contact owner for details.
Additional Information		
8.20	Additional information relating to features of the ship or operational characteristics:	
Version 4 (INTERTANKO / Q88.com)		