INTERTANKO CHARTERING QUESTIONNAIRE 88 - OIL AND CHEMICAL (Ver. 6) (Edit)

1.	General Information			
1.1	Date updated:		May 07, 2025	
1.2	Vessel's name (IMO number):		Oralynn (9402677)	
1.2b	Is the vessel owner/manager a me yes, please provide IMO number of		No,	
1.3	Vessel's previous name(s) and da	ite(s) of change:	Orarikke (Jun 26, 2014) Britta Theresa (Feb 05, 2010)	
1.4	Date delivered / Builder (where bu	uilt):	Sep 18, 2008 / XI XIA KOU Shipyard, Rongchem - PR China	
1.5	Flag / Port of Registry:		Denmark / Svendborg	
1.6	Call sign / MMSI:		OZWA2 / 219030184	
1.7	Vessel's contact details (satcom/fa	ax/email etc.):	Tel: +45 89873049	
			Fax: N/A	
			Email: oralynn@mhsimonsen.com	
1.8	Type of vessel (as described in Fo	orm A or Form B Q1.11 of	Other	
1.8a	If other type of vessel, please spe	cify:	Product carrier	
1.9	Type of hull:		Double Hull	
Owne	rship and Operation		`	
1.10	Registered owner - Full style: IMO Number	Rederiet M.H.Simonsen Ap Christiansmindevej 76, DK- Denmark Tel: +45 62203633 Fax: 0 Telex: 0 Email: mhs@mhsimonsen. Web: n/a IMO: 243438	-5700 Svendborg	
1.11	Technical operator - Full style:	Rederiet M.H.Simonsen Ap Christiansmindevej 76, DK. Denmark Tel: +45 62202033 Fax: 0 Telex: 0 Email: mhs@mhsimonsen.co Web: www.mhsimonsen.co Company IMO#: 243438	-5700 Svendborg	
1.12	Commercial operator - Full style:	: M.H.Simonsen ApS Christiansmindevej 74 DK-5700 Svendborg Denmark Tel: +45 6220 2033 Telex: 0 Email: sc@simchart.com Web: www.mhsimonsen.com		
1.13	Disponent owner - Full style:	Rederiet M.H. Simonsen A Christiansmindevej 76 DK- Tel: +4562202033 Fax: - Telex: - Email: mhs@mhsimonsen. Web: -	5700 Svendborg Denmark	

1.15 1.16	P & I Club - Full Style: P & I Club pollution liability covera	The Britannia Steam Ship I	nsurance Association Limited		
1.16	P & I Club pollution liability covera	·			
		age / expiration date:	1,000,000,000 US\$	Feb 20, 2026	
	Hull & Machinery insured by - Full Style: (Specify broker or leading underwriter)	CODAN			
1.17	Hull & Machinery insured value /	expiration date:	7,500,000 US\$	May 31, 2025	
Classif	fication				
1.18	Classification society:		Bureau Veritas		
1.18a	Is Classification Society an IACS	member?	Yes		
1.19	Class notation:		Oil tanker; Chemical tanker; ESP AVM-APS; AUT-UMS (SS), MON INWATERSURVEY, IG (SS)		
	Does the vessel have any open c List all open conditions:	onditions of Class?? If yes	No		
	Does the vessel have any Memor details:	randa of Class? If yes, list	No		
	If classification society changed, of change:	name of previous and date	, Not Applicable		
1.22	Does the vessel have ice class? I	f yes, state what level:	Yes, ICE-1C		
1.23	Date / place of last dry-dock:		Jul 09, 2024 / Gdynia		
1.24	Date next dry dock due / next ann	nual survey due:	Jun 24, 2027 Jun 24, 2025		
1.25	Date of last special survey / next	special survey due:	Jul 09, 2024 Jun 24, 2029		
	If ship has Condition Assessment the latest overall rating:	Program (CAP), what is	Yes, 1		
Dimens	sions				
1.27	Length overall (LOA):			103.00 m	
1.28	Length between perpendiculars (LBP):		96.50 m	
1.29	Extreme breadth (Beam):			16.00 m	
1.30	Moulded depth:			8.70 m	
	Keel to masthead (KTM) / Keel to collapsed condition, if applicable:	masthead (KTM) in	28.30 m	0 m	
1.32	Distance bridge front to center of	manifold:		36.00 m	
	Bow to center manifold (BCM) / S (SCM):	tern to center manifold	54.50 m	48.50 m	
1.34	Parallel body distances:	Lightship	Normal Ballast	Summer Dwt	
	Forward to mid-point manifold:	35.00 m	37.00 m	42.00 m	
	Aft to mid-point manifold:	30.00 m	35.00 m	39.00 m	
	Parallel body length:	65.00 m	72.00 m	81.00 m	
Tonnag	ges				
1.35	Net Tonnage:			1,940.00	

1.36	Gross Tonnage /	Reduced Gross Tor	nnage (if applicable):	3,953.00	3,301	
1.37	Suez Canal Tonn	age - Gross (SCGT) / Net (SCNT):	4,269.45	3,487.24	
1.38	Is vessel fitted for Net Tonnage (PC		Canal? Panama Canal	No, 0.0		
Loadl	ine Information					
1.39	Loadline	Freeboard	Draft	Deadweight	Displacement	
	Summer:	1.70 m	7.01 m	6,866 MT	9,130.30 MT	
	Winter:	1.84 m	6.85 m	6,650 MT	8,897.00 MT	
	Tropical:	1.55 m	7.15 m	6,943.00 MT	9,343.00 MT	
	Normal loaded condition:	1.70 m	7.01 m	6,866.00 MT	9,130.30 MT	
	Lightship:	6.75 m	1.97 m	Not Applicable	2,244.10 MT	
	Normal Ballast Condition:	4.73 m	4.00 m	2,814.00 MT	4,864.00 MT	
	Segregated Ballast Condition:	4.73 m	4.00 m	2,814.00 MT	4,864.00 MT	
1.40	FWA/TPC at sum	mer draft:		153.00 mm	14.87 MT	
1.41	Have multiple dea		signed? If yes, list all	No Assigned DWT 1: Assigned DWT 2: Assigned DWT 3: Assigned DWT 4: Assigned DWT 5:		
1.42	Constant (exclud	ng fresh water):			100 MT	
1.43	What is the comp (UKC) for this ves	any guidelines for l ssel?	Jnder Keel Clearance	Open water: 5 meters Confined/shallow water: 0,5 meters Pilot: 0,5 meters Harbour: 0,5 meters		
1.44	What is the max I	neight of mast abov	e waterline (air draft)	Full Mast	Collapsed Mast	
	Summer deadwe	ight:		21.29 m	0 m	
	Normal ballast:			24.30 m	0 m	
	Lightship:			26.33 m	0 m	
2.	CERTIFICATES	Issued	Last Annual	Last Intermediate	Expires	
2.1	Safety Equipment Certificate (SEC):	Jul 09, 2024	Jul 09, 2024		Jun 24, 2029	
2.2	Safety Radio Certificate (SRC):	Jul 09, 2024	Jul 09, 2024		Jun 24, 2029	
2.3	Safety Construction Certificate (SCC):	Jul 09, 2024	Jul 09, 2024		Jun 24, 2029	
2.4	International Loadline Certificate	Jul 09, 2024	Jul 09, 2024		Jun 24, 2029	

2.5	International Oil Pollution Prevention Certificate (IOPPC):	Jul 09, 2024	Jul 09, 2024		Jun 24, 2029
2.6	International Ship Security Certificate (ISSC):	Oct 27, 2022	Not Applicable	Not Applicable	Jul 06, 2027
2.7	Maritime Labour Certificate (MLC):	Oct 27, 2022	Not Applicable		Jul 06, 2027
2.8	Minimum Safe Manning Certificate (MSM):	Apr 06, 2022	Not Applicable	Not Applicable	Permanent
2.9	ISM Safety Management Certificate (SMC):	Oct 27, 2022	Not Applicable	Not Applicable	Jul 06, 2027
2.10	Document of Compliance (DOC):	Sep 22, 2022	Oct 24, 2024		Oct 07, 2027
2.11	USCG Certificate of Compliance (USCGCOC):	Not Applicable	Not Applicable	Not Applicable	Not Applicable
2.12	Civil Liability Convention (CLC) 1992 Certificate:	Feb 20, 2025	Not Applicable	Not Applicable	Feb 20, 2026
2.13	Civil Liability for Bunker Oil Pollution Damage Convention (CLBC) Certificate:	Feb 20, 2025	Not Applicable	Not Applicable	Feb 20, 2026
2.14	Liability for the Removal of Wrecks Certificate (WRC):	Feb 20, 2025	Not Applicable	Not Applicable	Feb 20, 2026
2.15	U.S. Certificate of Financial Responsibility (COFR):	Not Applicable	Not Applicable	Not Applicable	Not Applicable
2.16	Certificate of Class (COC):	Jul 09, 2024	Jul 09, 2024		Jun 24, 2029
2.17	Certificate of Registry (COR):	Nov 10, 2021	Not Applicable	Not Applicable	Permanent
2.18	International Sewage Pollution Prevention Certificate (ISPPC)	Jul 09, 2024	Not Applicable	Not Applicable	Jun 24, 2029

2.19	Certificate of Fitness (COF):	Jul 09, 2024	Jul 09, 202	24	Not App	licable		Jun 24, 2029
2.20	International Energy Efficiency Certificate (IEEC):	Apr 26, 2023	Not Applica	ble	Not App	licable		Not Applicable
2.21	International Air Pollution Prevention Certificate (IAPPC):	Jul 09, 2024	Jul 09, 202	24				Jun 24, 2029
2.22	Ship Sanitation Control (SSCC)/Ship Sanitation Control Exemption (SSCE):	Feb 28, 2025	Not Applica	ble	Not App	licable		Aug 28, 2025
2.23	Management Ce complies with the	rtificate? If no, th e "International C	onal Ballast Water en describe how s onvention for the 0 t Water and Sedim	hip Control		`	Yes,	
Docur	mentation							
2.24			nber of ITOPF and of this voyage/cont		Yes			
2.25		CIMF guidelines	and Alcohol Polic for Control of Dru		Yes			
2.26	Is the ITF Specia	ıl Agreement on b	ooard (if applicable	·)?	N/A			
2.27	ITF Blue Card ex	piry date (if appli	icable):			Not A	pplic	able
3.	CREW							
3.1	Nationality of Ma	ster:			Ukrainian			
3.2	Number and nati	onality of Officers	s:		6			krainian, Danish, Latvian, olish
3.3	Number and nati	onality of Crew:			Na	itionality		Count
					l	Jkraine		5
3.4	What is the comr	mon working lang	guage onboard:		English			
3.5	Do officers speak	κ and understand	I English?		Yes			
3.6	If Officers/ratings		Officers:		J.			
	Manning Agency		Company Name	A	Address	Phone	Fax	Email
			Rederiet M. H. Simonsen ApS		nsmindevej 76, vendborg, DK	+45 62202033	0	crew@mhsimonsen.com
			Ratings:					
			ratings.					
			ranings.					

4.1	Has the vessel Operator submitted Plan to the US Coast Guard which official USCG letter?		No
4.2	Qualified individual (QI) - Full style:	Not Applicable n/a Tel: n/a Fax: n/a Telex: n/a Email: n/a Web: n/a	
4.3	Oil Spill Response Organization (OSRO) - Full style:	Not Applicable n/a Tel: n/a Fax: n/a Telex: n/a Email: n/a	
4.4	Salvage and Marine Firefighting Services (SMFF) - Full Style:		
5.	SAFETY/HELICOPTER		
5.1	Is the vessel operated under a Q System? If Yes, what type of syst Resolution A.741(18) as amende	em? (ISO9001 or IMO	Yes IMO Resolution A.741 (18)

No

 $0.00 \; m$

.

COATING/ANODES

Can the ship comply with the ICS Helicopter Guidelines?

5.2.1 If Yes, state whether winching or landing area provided:

5.2.2 If Yes, what is the diameter of the circle provided:

6.1 Cargo tanks:

5.2

6.

Tank ID	Tank PSC	Tank Type	Constr	Coated Y/N	Coating Type	Extent	Condition	Date	Insp date	Insp Freq
7	S	Deck Tank	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
6	S	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
2	Р	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
7	Р	Deck Tank	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
4	S	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
1	Р	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
5	S	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
3	S	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
1	S	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual

Tank ID	Tank PSC	Tank Type	Constr	Coated Y/N	Coating Type	Extent	Condition	Date	Insp date	Insp Freq
6	Р	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
3	Р	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
2	S	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
4	Р	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual
5	Р	2g	Mild Steel	Yes	Marineline	Full Tank	Good	Sep 18, 2008	Apr 12, 2025	Annual

Anodes Fitted: No

Ballast	tanks:
	ID

ID	Coated?	Type	Extent	Condition	Coating date	Insp date	Insp freq
Fore peak tank	Yes	Ероху	Full Tank	Good	Sep 18, 2008	May 05, 2025	Annual
WBT 3 S	Yes	Ероху	Full Tank	Good	Sep 18, 2008	May 03, 2024	Annual
WBT 4 P	Yes	Ероху	Full Tank	Good	Sep 18, 2008	May 03, 2024	Annual
WBT 6 S	Yes	Ероху	Full Tank	Good	Jul 09, 2024	May 03, 2024	Annual
WBT 3 P	Yes	Ероху	Full Tank	Good	Sep 18, 2008	May 03, 2024	Annual
WBT 4 S	Yes	Ероху	Full Tank	Good	Sep 18, 2008	May 03, 2024	Annual
WBT 6 P	Yes	Ероху	Full Tank	Good	Jul 09, 2024	May 03, 2024	Annual
WBT 1 P	Yes	Ероху	Full Tank	Good	Sep 18, 2008	May 03, 2024	Annual
WBT 5 S	Yes	Ероху	Full Tank	Good	Sep 18, 2008	May 03, 2024	Annual
WBT 1 S	Yes	Ероху	Full Tank	Good	Sep 18, 2008	May 03, 2024	Annual
WBT 5 P	Yes	Ероху	Full Tank	Good	Sep 18, 2008	May 03, 2024	Annual
WBT 2 P	Yes	Ероху	Full Tank	Good	Jul 09, 2024	May 03, 2024	Annual
WBT 2 S	Yes	Ероху	Full Tank	Good	Jul 09, 2024	May 03, 2024	Annual

Anodes Fitted: Yes

7. BALLAST

7.1 Ballast Handling Data

Number	Type	Prime mover type	Capacity (m3/hr)	Head (bar)
1	Centrifugal	Electric	200.00	25.00
2	Centrifugal	Electric	200.00	25.00

Ballast Water Management Systems (BWMS)

7.2 Does the vessel comply with D1 or D2 performance standards?

D2

Tank	Capacities			
8.1	Is vessel fitted with centerline bulkhead in all cargo tanks? If Yes, solid or perforated:	Yes, Solid		
Doub	ole Hull Vessels			
8.	Cargo- Oil/Chem			
1.1	is the BW13 of a 03CG approved type?	les		
7.7	Is the BWTS of a USCG approved type?	Yes		
7.6	Does the BWTS have IMO type approval?	Yes		
7.5	Name of manufacturer of BWTS:	Alfa Laval		
7.4	What type of BWTS fitted? If other system fitted, please advise:	UV Light,		
7.3	Does the vessel have a Ballast Water Treatment System (BWTS) fitted?	Yes		

8.2	Cargo Tank Capacities at 98% Full - Centre:							
	Total Centre: m3							
	Cargo Tank Capacities at 98% Full - Wing: Tank Number		Canacity (m2)		P/S			
	4 P		Capacity (m3) 592.09		Port			
	6 P		531.23					
					Port Stbd			
	1 S		436.72					
	2 S		578.88					
	SLOP P		55.39		Port			
	2 P		574.16		Port			
	4 S		597.88		Stbd			
	6 S		531.29		Stbd Stbd Port			
	5 S		592.89					
	1 P		440.51					
	5 P		596.59		Port			
	3 S		592.36 55.47		Stbd			
	SLOP S				Stbd			
	3 P		597.37		Port			
	Total Wing: 6,666.94 m3 Deck Tank Capacities at 98% Full: Deck Tank Number	Port	t/Centre/Stbd	Capacity @ 9	28%			
	SLOP	1010	Port	55.39	70			
	SLOP		Stbd	55.47				
	Total Deck: 111.00 m3							
8.2a	Grand Total Cubic Capacity (98%) (centre +	wing tanks):			6,772.80 m			
8.2.1	Capacity (98%) of each natural segregation with double valve (specify tanks):		Seg#1: 3256.427 m3 (T Seg#2: 1062.5 m3 (Tan Seg#3: 2343 m3 (Tanks	ks 6p/s)				
8.2.2	IMO class (Oil/Chemical Ship Type 1, 2 or 3):	IMO 2					
8.3	Slop tank capacities (98%):							
	Tank Number		Capacity (m3)		P/S			
	SLOP P		55.39		Port			
			55.47		Stbd			
	SLOP S							
	SLOP S Total: m3							

8.3.2	Residual/Retention oil tank(s) capacity (98%), if applicable:		12.60 m3	
SBT V	/essels			
8.3.3	What is total SBT capacity and percentage of SDWT vessel can maintain?	N/A	N/A	
8.3.4	Does vessel meet the requirements of MARPOL Annex I Reg 18.2:	N/A		
Cargo	Handling and Pumping Systems			
8.4	How many grades/products can vessel load/discharge with double valve segregation:		3	
8.4.1	State type of cargo containment (integral, independent, gravity or pressure tanks):			
8.5	Are there any cargo tank filling restrictions? If yes, specify number of slack tanks, max s.g., ullage restrictions etc.:	Yes Fully loaded cargoes with specific Partial loading of heavy gravity of gravity up to 1.40 t/m3. Partial lot to 50% full, with specific gravity for 1.55 t/m3	up to 73% full, with specific ading of heavy gravity up	
8.6	Max loading rate for homogenous cargo	With VECS	Without VECS	
	Loaded per manifold connection:	400 m3/hr	400 m3/hi	
	Loaded simultaneously through all manifolds:	800 m3/hr	600.00 m3/h	
Cargo	Control Room			
8.7	Is ship fitted with a Cargo Control Room (CCR)?	Yes		
8.8	Can tank innage / ullage be read from the CCR?			
Gaugi	ng and Sampling			
8.9	Is gauging system certified and calibrated? If no, specify which ones are not calibrated:	Yes,		
	What type of gauging system as per IBC 13.1 is fitted (Open/Restricted/Closed):	Closed		
	What type of fixed closed tank gauging system is fitted:	N/A		
	Is a tank overflow control system fitted? If yes, then state if system includes automatic closing of valves?	Yes, No		
	Are high level alarms fitted to the cargo tanks? If Yes, indicate whether to all tanks or partial:	Yes, Yes		
8.9.1	Can cargo be transferred under closed loading conditions in accordance with ISGOTT 11.1.6.6?			
8.9.2	Are cargo tanks fitted with multipoint gauging? If yes, specify type and locations:	Yes,		
8.10	Number of portable gauging units (example- MMC) on board:			
Vapor	Emission Control System (VECS)			
8.11	Is a Vapour Emission Control System (VECS) fitted?	Yes		
	If fitted, is vapour line return manifold in compliance with OCIMF Guidelines?	Yes		
	If fitted, how many vapor return segregations can the vessel maintain simultaneously?			

	Certification? If yes, state the issuing authority							
8.12	Number/size of VE	ECS manifo	lds (per sid	de):	2		219 mm	
8.13	Number / size / typ	oe of VECS	reducers:					
Ventin	g							
8.14	State what type of	venting sys	stem is fitte	ed:	P/V valves			
Cargo	Manifolds and Re	ducers						
8.15	Total number/size of cargo manifold connections on each side: No.: 3							
	Size: Manifold	PCS	Size	Unit P	ressure Rating	Unit PR	Standard	
	3	S	219	mm	7	Bar	ANSI	
	1	Р	219	mm	7	Bar	ANSI	
		C						
	2	C	219	mm	7	Bar	ANSI	
8.15.1	Is the vessel fitted	with a fixed	d common	line?				
	What is the number	er of commo	on cargo c	onnections per side?				
	What is the size of	f common c	argo conn	ections?	mm			
8.16	What type of valves are fitted at manifold:			Butterfly,				
8.17	What is the material/rating of the manifold:			Stainless steel / ANSI				
8.17.1	Does vessel comply with the latest edition of the OCIMF 'Recommendations for Oil Tanker Manifolds and Associated Equipment'?			Yes				
8.18	Distance between cargo manifold centers:					800.00 mm		
8.19	Distance ships rail to manifold:					2,100.00 mm		
8.20	Distance manifold to ships side:					3,000.00 mm		
8.21	Top of rail to center of manifold:			2,550.00 mm				
8.22	Distance main deck to center of manifold:			2,000.00 mm				
8.23	Spill tank grating to	o center of	manifold:				1,000.00 mm	
8.24	Manifold height above the waterline in normal ballast / at SDWT condition:				6.40 m	3.70 m		
8.25	Number / size / type of reducers:			7 x 150/200mm (6/8") 6 x 100/200mm (4/8") 1 x 200/250mm (8/10") 1 x 300/200mm (12/8") 1 x 200/200mm (8/8") ANSI				
8.26	Is vessel fitted with a stern manifold? If yes, state size:			yes, state size:	No, 0.00 mm			
Heatin	g							
8.27	Provide details of	Heating Co	ils/Heat Ex	changers				
8.27.1	Is a Thermal Oil H	eating syste	em fitted?	If yes, identify tanks?	No,			
8.28	Maximum temperature cargo can be loaded / maintained:			80.0 °C / 1	76.0 °F	80 °C / 176 °F		

Inert G	as and Crude Oil Wa	shing					
8.29	Is an Inert Gas Syster	m (IGS) fitted / operatio	nal?		No / N/A		
8.29.1	Is a Crude Oil Washing (COW) installation fitted / operational?				N/A / N/A		
8.30	Is IGS supplied by flue nitrogen:	e gas, inert gas (IG) ger	nerator and/or				
8.30.1	If nitrogen generator, seach of the designed	specify the applicable fl purity modes:	ow rate for				
Cargo	Pumps						
8.31	How many cargo pum capacity:	nps can be run simultan	eously at full				2
8.32	Cargo Pump Data						
	Pump Identity	Pump Location	Type 1	Type of prime mover	Capacity	At what head?	
	1	Pumproom	Screw	Electric	500.00	110.00	
	1	Pumproom	Screw	Electric	500.00	110.00	
	1	Pumproom	Screw	Electric	500.00	110.00	
8.33	Is at least one emerge	ency portable cargo pun	np provided?		No		_
Tank C	Cleaning Systems						_
8.34	Is tank cleaning equip	ment fixed in cargo tan	ks?	Yes			
8.35	Is portable tank cleani	ing equipment provided	?	Yes			
8.36	Tank washing pump capacity:			56.00 m3/hr			
8.37	Is a washing water heater fitted? If yes is it operational and state max washing water temperature:			Yes, 90.00 °C			
8.38	What is the maximum operated at their design	number of machines th gned max pressure?	nat can be	4			
Other	Deck Equipment						
8.39	Is vessel fitted with a remote cargo tank temperature monitoring system. If yes, is it operational?			Yes, Yes			
8.40	Is vessel fitted with a system. If yes, is it op	remote cargo tank prese erational?	sure monitoring	Yes, Yes			
8.41	Is vessel fitted with a cand state capacity:	cargo tank drier. If yes i	s it operational	No, N/A m3/hr			
8.42	Is vessel fitted with a operational and state	cargo cooling system. If tanks applicable:	f yes is it	No, No			
8.43	Is steam available on	deck?		Yes			_
9.	MOORING						_
9.1	Provide details for Mo	ooring Ropes, Wires, Tai	ils and Shackles				
9.2	Details of winches and	d brake testing including	g rendering load	s			_
9.3	Provide Details of Mod	oring bollards and bitts					
		-					_

9.4	Provide details of Mooring Fairleads/Chocks						
Anch	ors/Emergency Towing Syste	em					
9.5	Number of shackles on port /	starboard cable:	9.00 / 9.	00			
9.6	Type / SWL of Emergency To	wing system forward:	n/a	M			
9.7	Type / SWL of Emergency To	wing system aft:		M			
9.8	What is size of closed chock type on stern:	and/or fairleads of enclosed					
Escor	rt Tug						
9.9	What is SWL of closed chock type on stern:	and/or fairleads of enclosed		36.00 M			
9.10	What is SWL of bollard on po	oop deck suitable for escort tug:		22.00 M			
Lifting	g Equipment/Gangway						
9.11	Derrick / Crane description (N	Number, SWL and location):	Cranes: 1 x 1.0 Tonnes center amidships				
9.12	Accommodation ladder direc	tion:					
9.13	Does vessel have a portable	gangway? If yes, state length:	Yes	n			
Single	e Point Mooring (SPM) Equip	ment					
9.14	Does the vessel meet the recedition of OCIMF 'Recommer Employed in the Bow Moorin Single Point Moorings (SPM)	ndations for Equipment g of Conventional Tankers at	No				
9.15	If fitted, how many chain stop	ppers:	0				
9.16	Details of Bow chain stoppers:						
9.17	Distance between the bow fa stopper/bracket:	irlead and chain		0 n			
9.18	Is bow chock and/or fairlead recommended size (600mm size:	of enclosed type of OCIMF x 450mm)? If not, give details of	Yes				
10.	PROPULSION						
10.1	Speed		Maximum	Economical			
	Ballast speed:		12 Kts (WSNP)	Kts (WSNP			
	Laden speed:		11.50 Kts (WSNP)	Kts (WSNP			
10.2	What type of fuel is used for specify:	main propulsion? If other, then	MGO,				
	What type of fuel is used for	generating plant	MDO				
10.3	10.3 Bunker Tank Capacities:						
	If other, then specify						
10.4	Is vessel fitted with fixed or c	ontrollable pitch propeller(s):	Controllable				
10.5	Engines	No	Capacity	Make/Type			
	Main engine:	1	Kw				

	Aux engine:	3	Kw	
	Power packs:		m3/hr	
	Boilers:	2	5.70 MT/Hr	
Bow/S	tern Thruster			
10.6	What is brake horse power of bow	thruster (if fitted):	Yes, 400.00 bhp	
10.7	What is brake horse power of ster	n thruster (if fitted):	No, 0 bhp	
Enviro	onmental/Emissions			
10.8	Does the vessel have an EEDI Ra provide EEDI rating:	ating number? If yes then	No, n/a	
	If No then provide reason:		The ship is exempt under regulation 20.1 as it is not a ne ship as defined in regulation 2.23	ew
	Is the EEDI rating verified by Clas	s, 3rd Party or Owner?		
10.9	Does the vessel have an EEXI Raprovide EEXI rating:	iting number? If yes then	Yes, 15.00	
	If No then provide reason:			
	Is the EEXI rating verified by Clas	s, 3rd Party or Owner?	Class	
10.10	Does the vessel have a CII Rating provide CII rating:	number? If yes then	No,	
	If No then provide reason:		Vessel is below 5000 GT	
	Is the CII rating verified by Class,	3rd Party or Owner?		
10.11	Does the vessel have an EIV Rati provide EIV rating:	ng number? If yes then	No,	
	If No then provide reason:			
	Is the EIV rating verified by Class,	3rd Party or Owner?		
10.12	What is the ships NOx control level III)?:	el (Tier I, Tier II, and Tier	Tier I	
	List of equipment fitted for NOx Ti engines (LP Selective catalytic red catalytic reduction, Exhaust gas re etc)	duction, HP Selective		
Exhau	st Gas Cleaning System/Scrubbo	er		
10.13	Does the vessel use an Exhaust 0	Gas Cleaning System?	No	
10.14	What is the type of scrubber fitted onboard?	as part of the EGCS		
11.	SHIP TO SHIP TRANSFER			
11.1	Does vessel comply with recomm OCIMF/ICS Ship To Ship Transfer Chemicals or Liquified Gas, as ap	Guide (Petroleum,	Yes	
11.2	What is maximum outreach of cra the ship's side:	nes / derricks outboard of	5.0	00 m
11.3	Date/place of last STS operation:		n/a	

12.	RECENT OPERATIONAL HISTORY				
12.1	Last three cargoes / charterers / voyages (Last / 2nd Last / 3rd Last):				
12.2	Has ship been involved in a pollution, grounding, collision or allision incident during the past 12 months? If yes, provide details: No				
12.3	Date and place of last Port State Control inspection:	Aug 28, 2024, Bilbao			
12.4	Any outstanding deficiencies as reported by any Port State Control? If yes, provide details:	N/A No deficiencies			
12.5	Recent Oil company inspections/screenings (To the best of owners knowledge and without guarantee of acceptance for future business)*:	Cargill, RightShip, Koch, Preem, SHELL, TOTAL, CDI, LUKOIL, STATOIL, REPSOL, NESTE, Exxon, BP			
	*"Approvals" are not given by Oil Majors and ships are accepted for the voyage on a case by case basis.				
12.6	Date / place of last SIRE inspection:	Jan 10, 2025 / Rotterdam			
12.6.1	Date / place of last CDI inspection:	May 30, 2024 / Rotterdam			
12.7	Additional information relating to features of the ship or operational characteristics:	n/a			

Revised 2018 (INTERTANKO / Q88.com)